



**MoGo 2 Pro**

**USER GUIDE**

Please read the Product Instructions carefully before using the product

Thank you for purchasing and using the products of XGIMI Technology Co., Ltd. (hereinafter referred to as "XGIMI Technology" or "XGIMI"). You should read the Product Instructions carefully before using this product for both your safety and interests.

XGIMI Technology will assume no responsibility for any personal injury, damage to property, or other loss caused because due to failure to operate this product according to the Product Instructions or precautions.

About the Product Instructions (hereinafter referred to as the "Instructions")

The copyright of the Instructions belongs to XGIMI Technology.

Trademarks and names mentioned in the Instructions belong to their respective right owners. In case of inconformity between the content of the Instructions and the actual product, the actual product shall prevail.

Google, Android TV and Chromecast built-in are trademarks of Google LLC.

Google Assistant is not available in certain languages and countries. Availability of services varies by country and language.



HIGH-DEFINITION MULTIMEDIA INTERFACE

High-Definition Multimedia Interface (HDMI) and the HDMI Logo are trademarks or registered trademarks of HDMI.

Licensing Administrator, Inc.



Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories Licensing Corporation.

\* Model: XK04T

\* XGIMI Technology reserves the right to interpret and amend the Instructions

## Overview


### Front view

A – ToF Autofocus

B – Lens

C – Auto Keystone Correction


Note: To prevent auto keystone correction failure, avoid blocking the sensor



### Rear view

Note: 1. The type - C port only supports power supply.

2. Using a non XGIMI standard adapter may have a certain impact on the brightness and volume. For the best experience it is recommended to use the XGIMI standard adapter.



## Remote control

A – Power

B – Focus

C – Google Assistant


D – Navigation

E – Return

F – Settings/ Menu

G – Home page


H – Volume



## Getting Started

### 1. Power on/off

Connect the device to a power source and press the button to turn on the device.




## 2. Remote control pairing

Place the remote control within 10cm of the device, press "the back arrow" and "the home button" simultaneously, an indicator light will begin flashing as the remote control enters pairing mode. Release the buttons as soon as flashing begins, and the connection is successful when a „Ding" is heard. If pairing fails, repeat the above steps after 30 seconds.

Place the remote control within 10cm of the device, press "←" and "⬅" simultaneously, an indicator light will begin flashing as the remote control enters pairing mode. Release the buttons as soon as flashing begins, and the connection is successful when a "Ding" is heard.

If pairing fails, repeat the above steps after 30s.



## 3. Remote control functions

Focus adjustment function. Short press the button "see the picture" to trigger autofocus.

Long press the button "see the picture" to trigger manual focus.

Shortcut button- to access the shortcut button function, briefly press the button see below.

### Focus adjustment function

Short press the "🖼️" to trigger autofocus.

Long press the "🖼️" to trigger manual focus.

### Shortcut button

To access the shortcut button function, briefly press the "🔗" .

#### 4. Intelligent Screen Adaption technology


When the automatic keystone function is enabled, the frame will be adjusted automatically if you move the device to another location.

Picture/left side. When the automatic obstacle avoidance function is enabled, the frame will automatically avoid any obstacles that block projection area. When the automatic screen alignment function is enabled, the frame will automatically adjust to an aspect ratio of 16:9 or 16:10.


Picture/ right side. Press the button "circle/equal " on the remote control to enter the keystone correction page. Select Auto Keystone Correction to enable the automatic keystone correction function. Select "Manual Keystone Correction" to manually adjust the four points and size of the projection area.

#### 4 Intelligent Screen Adaption technology


When the automatic keystone function is enabled, the frame will be adjusted automatically if you move the device to another location.



When the automatic obstacle avoidance function is enabled, the frame will automatically avoid any obstacles that block projection area. When the automatic screen alignment function is enabled, the frame will automatically adjust to an aspect ratio of 16:9 or 16:10.




Press the "⌘" on the remote control to enter the "Keystone Correction" page. Select "Auto Keystone Correction" to enable the automatic keystone correction function. Select "Manual Keystone Correction" to manually adjust the four points and size of the projection area.




## 5. Google assistant

Google Assistant can be activated by pressing the "icon button" on the remote control. Using your voice, you can quickly access entertainment, control smart devices and answers on screen.

Google Assistant can be activated by pressing the "  "button on the remote control.

Using your voice, you can quickly access entertainment, control smart devices, and get answers on screen.


## 6. Setting

Adjust device and image settings at any interface by pressing the button "  " on the remote control. Specific functions for various settings are as follows:

Clear Apps - Remove apps from the device
Keystone Correction - Adjust the keystone for the projected image
Image mode - Adjust image parameters under the video or signal source
Sound settings - Adjust the devices voice output channel
3D Video Setup - 3D settings for video and signal sources
Sleep Timer - Automatically shut down the device after a pre-set time
All settings – Settings for other related functions

Note: 3D mode and image mode settings can only be adjusted via the video play or signal source channel. Frame ratio and HDMI version settings can only be adjusted via the HDMI channel.

## 7. Chromecast built – in

- Cast your favorite entertainment apps – movies & TV shows, music, games, sports and more – from your Android, iOS device, Mac Windows computer, or Chromebook to the device. Find Chromecast – enabled apps at [g.co/castapps](http://g.co/castapps).
- Quickly cast video and audio contents to the TV through  of mobile application supported.
- Screen casting will not be interrupted due to calling or message sending, and the mobile phone battery consumption is minimal.
- The whole frame of Android phones or Chrome browser on PC can be cast to the TV.

Note: Screen casting is optimized for selected services only. Streaming quality for other content might vary. Supported operating systems and devices: Android TM2.3 Gingerbread and higher. iOS7 and higher, Windows7 and higher, Mac OS.10.7 and higher and Chrome OS (version 38 or higher).

## 8. System upgrade

Online upgrade – the online upgrade can be made through system setting.

**Warning:** Please refer to the information on the exterior bottom of the enclosure for electrical and safety information before installing or operating the apparatus.

### **Warning for remote controller & portal device:**

- There is a risk of explosion if the battery is replaced with the wrong type of battery.
- Disposal of a battery into fire, mechanically crushing or cutting the battery, may result in an explosion.
- Do not leave battery in an environment with extremely high temperature that may result in an explosion or the leakage of flammable liquid or gas.
- Do not put battery in an environment with extremely low pressure that may result in an explosion or the leakage of flammable liquid or gas.

### **Correct use of the device:**

- Do not face lens into eyes injury to the eyes can be caused by the strong protector light.
- Do not block the air inlet/ outlet of the device to avoid damage to internal electronic devices arising from normal heat dissipation failure of the device.
- Do not wipe the lens directly with cleaning tools including paper and cloth etc. To avoid damage to lens: please clean up the dust on the lens surface through clean air blowing.
- Do not wash the device with chemicals, detergents, or any liquid in order to avoid corrosion of circuit board by rainwater, moisture and mineral – containing liquids.
- Keep the device and its components and accessories out of reach of children.



- Ensure that the device is used in a dry and ventilated environment.
- Do not store the device in overheated places, because extreme temperatures will shorten the life of electronic devices. Permissible environment for storage and use of the device in an environment of 0 – 40 Celsius.
- Do not put the device into any heating equipment (such as dryer and microwave oven etc..) to drying.
- Do not extrude the device firmly or place barriers on it or its back to avoid damage to the device.
- Do not throw, strike, or sharply vibrate the device to avoid damage to the internal circuit board.
- Do not try to disassemble and assemble the device yourself. Please contact after-sales service of XGIMI for any problem.
- Do not repair any product on your own. In the case of normal operation failure of the device or any component, you shall consult after-sales service of XGIMI promptly or return it to the factory for repair.
- Operations in the 5.15-5.35 GHz band are restricted to indoor usage only.
- In the installation and operation of the device, for distance between radiator and body should be at least 20 cm.
- As with any bright source, do not stare into the direct beam, RG2 IEC 62471-5:2015.
- Use carefully with the earphone maybe excessive sound pressure from earphones and headphones can cause hearing loss.
- Adapter plug is used as the disconnect device, so the disconnect device shall remain readily operable.



### Disposal instructions for used products:



The product is designed and manufactured with high quality materials and components that are recyclable.



This symbol on the product indicates that it is protected under the Directive 2012/19/EU.

## FCC warning

The device meets provisions of part 15 of FCC rule. Operation meets the following 2 conditions:

- (1) the device will not cause harmful interference, and
- (2) the device must accept any interference received, including interference that may result in accidental operations. User manual or operating instructions shall remind users that intentional or unintentional modification and replacement of radiators without explicit approval from the responsible compliance party may prevent the user from operating the device. If the manual is provided in a form other than paper, such as, provided in computer disk through the Internet, then the information required in the section can be included in the manual in the alternative form under the premise that users can have access to the form information.
- (3) For B-class digital or peripheral device, instructions provided by users shall include the following or similar statements and put them in a prominent place of manual text.

Notes: the device has been tested to meet restrictions of part 15 of FCC rule on B-class digital device. These restrictions are aimed at providing the effective prevention of harmful interference in a residential installation. If installation and use are not made according to the instructions, the device will generate and radiate radio frequency energy, and may cause harmful interference to radio communication. However, there is no guarantee that interference will not occur in a particular installation. If the device does cause harmful interference to radio or television reception (determined by stopping and starting the device), it is suggested that users should attempt to correct the interference by one or more of the following measures:

- Reposition direction of receiving antenna.
- Increase the distance between the device and the receiver.
- Connect the device into a circuit different from that to which the receiver is connected.
- Consult distributors or experienced radio/television technicians to seek help.

Be careful that the product may emit harmful light radiation.

FCC ID: 2AFENXK03T

### Declaration of Conformity

XGIMI Technology Co., Ltd. hereby declares that this product is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. Radio Equipment Regulations 2017, Directive 2011/65/EU, and UK.

The Restriction of the Use of Certain Hazardous Substances in Electrical, Electronic Equipment Regulations 2012, and compliance with REACH Directive (Regulation NO 1907/2006).

This product is allowed to be used in some of EU member states as illustrated in the right chart.

This Frequency applies to the following Member States or the geographical area within a Member State where restrictions on putting into service or requirements for authorization of use exist.

You can find the Declaration of Conformity on:  
<https://global.xgimi.com/pages/product-support>

			
BE	EL	LT	PT
BG	ES	LU	RO
CZ	FR	HU	SI
DK	HR	MT	SK
DE	IT	NL	FI
EE	CY	AT	SE
IE	LV	PL	UK

		
BE	HR	AT
BG	IT	PL
CZ	CY	PT
DK	LV	RO
DE	LT	SI
EE	LU	SK
IE	HU	FI
EL	MT	SE
ES	NL	UK
FR		

### IC Warning

This device complies with Innovation, Science and Evelopment Licence-exempt RSS standards. Operation is subject to the following two conditions: (1) This device may not cause interference, and

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

IC: 27045-XK03T

### Radiation Exposure Statement

The device is compiled by using FCC and ISSED Innovation, Science and Economic Evelopment radiation exposure limits specified for uncontrolled environments.

The transmitter shall not be placed or operated in conjunction with any other antenna or transmitter.

For the LED projector, the device meets FCC and ISED Innovation, Science and Economic Development radiation exposure limits specified uncontrolled environments.

\* Only use attachments/accessories specified or provided by the manufacturer. (Such as the exclusive supply adapter etc.)

\* Beware that this product may emit harmful light radiation.

### Wireless Specification

- Bluetooth version: 5.2
- Bluetooth transmitter frequency range: 2400 MHz – 2483.5 MHz
- Bluetooth transmitter power:  $\leq 17$  dBm (EIRP)
- Wi-Fi network IEEE 802.11 a/b/g/n/ac (2.4 GHz/ 5 GHz)
- 2.4 G Wi-Fi transmitter frequency range: 2412 – 2472 MHz (2.4 GHz ISM Band, USA 11 Channels, Europe, and others 13 Channels)
- 2.4 G Wi-Fi transmitter power:  $\leq 17$  dBm (EIRP)
- 5 G Wi-Fi transmitter frequency range: 5.15 – 5.35 GHz, 5.470 – 5.725 GHz, 5.725 – 5.850 GHz
- 5 G Wi-Fi transmitter power: 5.15 – 5.25 GHz  $< 22$  dBm (EIRP), 5.25 – 5.35 GHz & 5.470 – 5.725 GHz  $< 19$  dBm (EIRP), 5.725 – 5.825 GHz  $< 13$  dBm (EIRP)

\*Note: This power is for EU only



- More information, please find the electronic manual: [xgimi.com/us/support/index](http://xgimi.com/us/support/index).
- Distributor: Display Me s.r.o, Jeronymova 1460/2, 251 01 Ricany, Czech Republic/ Tel. no.: +420 739 940 355, e-mail: [info@displayme.com](mailto:info@displayme.com). You can find the manuals on: [www.displayme.com/support](http://www.displayme.com/support)